




HARDSCAPE PRODUCTS



COBBLESTONE PAVERS

Add the perfect touch to your outdoor area with Cobblestone pavers. Smooth or tumbled, this product offers an old century European feel to your space. Our Cobblestone collection comes in three rich colors and two standard sizes. Design your custom landscape using just one stone or a combination of shapes and colors.




APPLICATION

- Driveways
- Walkways
- Patio and Terrace
- Pool Deck
- Garden

STANDARD COLORS


- Santorini
- Harvest Blend
- Granite
- Fields Blend

See Pages 22-23 for Additional Color Options



3-PIECE COBBLESTONE PAVERS

Add the perfect touch to your outdoor area with Cobblestone pavers. Smooth or tumbled, this product offers an old century European feel to your space. Our Cobblestone collection comes in three rich colors and two standard sizes. Design your custom landscape using just one stone or a combination of shapes and colors.



APPLICATION

- Driveways
- Walkways
- Patio and Terrace
- Pool Deck
- Garden

STANDARD COLORS


- Santorini
- Harvest Blend
- Granite
- Fields Blend

See Pages 22-23 for Additional Color Options



HOLLAND PAVERS

The Holland paver keeps your space cheerful throughout the seasons. This classic style is available in traditional smooth or old world tumbled for the perfect addition to any project.




APPLICATION

- Driveways
- Walkways
- Patio and Terrace
- Pool Deck
- Garden

STANDARD COLORS

- Harvest Blend
- Granite
- Dark Chestnut

See Pages 22-23 for Additional Color Options




3-PIECE LARGE SLAB PAVERS

Make a big impression and add eye-catching elements to patios, create statement walkways, and highlight outdoor entertainment areas. Slabs are a beautiful addition to your outdoor living space but, foot traffic only please.

Disclaimer

Do not run a plate compactor on top of slabs



APPLICATION

- Walkway
- Pool Decks
- Patio and Terrace

STANDARD COLORS

- Granite
- Harvest Blend

See Pages 22-23 for Additional Color Options




Take time to relax with Tumble-Roc.



TUMBLE-ROC

Retaining Wall System

The strength and durability of this gorgeous material is perfect for retaining walls, freestanding landscape walls, outdoor fireplaces and more. The Tumble-Roc line is offered in a standard 4x12x8 size block in three beautiful colors.



APPLICATION

- Garden Walls
- Edging
- Small Free-standing Walls

STANDARD COLORS

- Granite
- Fields Blend
- Harvest Blend


See Pages 22-23 for Additional Color Options



PRODIGY

Retaining Wall System

The Prodigy collection is contractor approved for strength and durability. This collection is available in a beveled face option. Whether simple or complex, projects built with Prodigy stand the test of time.



APPLICATION

- Gravity Walls
- Engineered Walls
- Terrace

STANDARD COLORS

- Natural
- Tan
- Geneva Brown


See Pages 22-23 for Additional Color Options



VERSA-LOK STANDARD

Retaining Wall System

The Versa-Lok Standard unit is perfect for a variety of projects: straight retaining walls, curved walls, corners, columns, stairs and freestanding walls. This concrete block offers a low-absorption, high-strength option for commercial and residential projects.



APPLICATION

Gravity Walls
Engineered Walls
Terrace

STANDARD COLORS

Natural
Tan
Geneva Brown


See Pages 22-23 for Additional Color Options



VERSA-LOK SQUARE FOOT

Retaining Wall System

Versa-Lok Square Foot is a premium cored unit that covers a full square foot of wall face economically, making it a low-cost alternative for commercial or residential applications. The block comes in a trapezoidal shape and has a top-pinning system allowing for more accurate alignment, tighter vertical joints and easy installation.



APPLICATION

Gravity Walls
Engineered Walls
Terrace

STANDARD COLORS

Natural
Harvest Blend
Tan


See Pages 22-23 for Additional Color Options



KEYSTONE COMPAC

Retaining Wall System

Featuring unrivaled aesthetic options, cost saving versatility and proven wall performance, the Keystone Compac is favored by architects, engineers and contractors worldwide. Using the proven Keystone pin connection system, Keystone Compac is the perfect solution for gravity walls up 4 feet or engineered walls even higher.



APPLICATION

Gravity Walls
Engineered Walls
Terrace

STANDARD COLORS

Natural
Harvest Blend
Aspen


See Pages 22-23 for Additional Color Options



STONEGATE

Retaining Wall System

Reminiscent of the walls found scattered throughout the European countryside, Keystone Stonegate features a smooth, weathered stone appearance that will enhance any outdoor living space.



APPLICATION

- Gravity Walls
- Engineered Walls
- Free Standing Walls
- Terrace

STANDARD COLORS


- Granite
- Harvest Blend
- Fields Blend

See Pages 22-23 for Additional Color Options


SOLID COLOR OPTIONS



Tan



Charcoal




Dark Chestnut




Harvest Blend




Fields Blend



Granite



Sandstone



Geneva Brown



Aspen









Sierra Blend









Santorini

PATTERN EXAMPLES FOR HOLLAND PAVERS



PATTERN EXAMPLES FOR COBBLESTONE PAVERS



PATTERN EXAMPLES

An attractive paver pattern contributes to the overall appeal of your project and adds character to your home and landscape. Most Sunroc products are adaptable to an assortment of laying patterns. When developing a pattern for your space, keep the following guidelines in mind.

PROJECT SIZE - Choose a pattern that works relative to the size and space of your project. Smaller pavers generally work well in smaller spaces while larger pavers look better in larger spaces.

DESIGN LOOK - For a uniform, classic feel, use a pattern that uses just one or two block sizes; for a more random, freeform approach, utilize a design with three or more sizes of paver.

BORDERS AND FEATURES - A border adds a custom flare to your design and can help define different areas in your outdoor space. When choosing a laying pattern, keep your border needs in mind, as some patterns work more easily with borders than others.



INDUSTRY PARTNERS

We partner with the best in the industry to ensure customer satisfaction and success. Through our trusted relationships with these well-known industry leaders, we are able to offer our customers a wider selection of options to meet virtually any hardscape need. You can trust that when you choose Sunroc, you are getting the best the industry has to offer.

STANDARDS FOR CARE

There are a few things to consider to enhance the durability of high quality concrete products. Very mild cleaning may be needed using detergents, water and product specific chemicals if necessary. Sealers of all types (high, middle, and low sheen, pigmented/tinted, penetrating or film forming) are recommended for protection from dirt, stains, and any other intrusion. For any questions on industry specific sealers and cleaners, see your local hardscape dealer/distributor, contact your contractor, or contact Sunroc. It is contrary to Sunroc's SOP (standard operating procedure) to be involved in the care of mature pavement or retaining structure. Care as mentioned above is the responsibility of the owner for any and all outdoor products. Consider pulling this last paragraph

COLOR – Due to the inherent nature of printed literature and current digital media, Sunroc cannot guarantee color matching to the printed representations of color swatches. Therefore, color samples shown are reproduced as precisely as possible but may vary from actual product. Final color selection should be made at your local dealer from stocked product. Sunroc always recommends immediately verifying the product and color upon delivery to ensure that the materials correspond to your order. If any discrepancy is found, contact your local dealer before continuing your project. Installation of the product constitutes your acceptance of the product as is. For a natural appearance, each shade of color is composed of a variety of darker and lighter tones. Natural aggregates are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

PROPER COLOR DISTRIBUTION AND LAYERING TECHNIQUES – Due to the natural and raw materials used to produce concrete products, color variation is possible. Proper installation enhances the overall color of masonry elements. To achieve desired results, units should be randomly picked from at

least four pallets of the same lot number, and installed alternately. This creates an attractive and subtle color blend. Sunroc accepts no responsibility or liability whatsoever if installation does not follow these guidelines.

EFFLORESCENCE – Efflorescence is a natural occurring process in all concrete products which sometimes appears in the form of a white powdery film on the surface. Efflorescence is more perceivable in darker colors as there is a higher level of contrast than with other blended colors. It does not, in any way, compromise the functionality or the structural integrity of the product. Although efflorescence cannot be prevented, the rain will wash it off over time. Efflorescence can also be cleaned with a product compliant with Sunroc's or the cleaning product's directives. Sunroc accepts no responsibility or liability for this condition.

CONSTRUCTION RESIDUE – The by-product of cutting with a saw result in a residue-filled water and concrete dust. Residue-filled water or re-hydrated dust can cling to the surface and leave stains. It is recommended to wash and remove the water or concrete dust from the masonry's surface before it dries. Organic residues may also stain surfaces during construction. These contaminants should be removed immediately but do not affect the integrity of the product or your installation. Sunroc accepts no responsibility or liability for these occurrences.

POLYMERIC HAZE – Polymeric haze from the use of polymeric joint sand may appear on your concrete products if the sand was not removed from the surface of the paver properly. This does not, in any way, affect the integrity of the product or your installation. The hazing will weather away naturally with time and rain. It can be removed with a specialized cleaner; you are advised to contact your contractor or the polymeric sand company used for instructions & recommendations. Sunroc accepts no responsibility or liability for this occurrence.

COMPACTOR AND SNOW REMOVAL EQUIPMENT – Pavers with an embossed surface (high and low points) are more susceptible to scuff marks from vibratory plate compactors used in most concrete paver installations. Sunroc recommends the use of a urethane mat between the plate and the paver surface while compacting. Contact your equipment supplier for more information about accessories for this purpose. Also, snow removal equipment should have the proper spacing, bumpers, and rubber blade guards to protect the surface of the pavers. Sunroc is not responsible for damage caused by the misuse of compaction or snow removal equipment, which may leave scuff marks, or burns on pavers.

WARRANTY – The warranty applies to concrete landscaping and masonry products (herein referred to as "products") intended for residential use and manufactured by Sunroc Corp. Sunroc offers a 2 year warranty on its products commencing on the date of delivery. The warranty covers the structural integrity of the products and any abnormal deterioration of its surfaces.

The following conditions or events are not covered by the warranty:

1. The use of rock salt or other snow melt systems that are not considered paver safe.
2. Splitting, chipping or other breakage caused by impact, abrasion or overloading.
3. Damage or loss caused by the movement or setting of the underlying structure or base components upon which the products are set.
4. Damage or loss caused by design or installation not in compliance with local codes, industry standards or the guidelines provided by the interlocking Concrete Pavement Institute (ICPI), the National Concrete Masonry Association (NCMA) or Sunroc.

5. Damage or loss caused by natural disaster, including but not limited to, earthquakes, floods or other similar events.
6. Acts of negligence or misuse by the owner, installer or any third party.
7. Color matching to printed representations.
8. Efflorescence, polymeric haze or construction born residue.
9. Damage or loss caused by the operation of compaction or snow removal equipment.
10. Normal wear and tear or normal behavior such as variation in colors and shades.

In the event of product failure within the scope of this warranty, Sunroc will replace the affected units only, following a site inspection and assessment of the products by Sunroc or its representatives. Sunroc's responsibility is limited to the cost of the product only and not to the costs related to the installation or replacement of said products. Sunroc will honor the warranty only with a proof of purchase, such as an invoice or delivery slip.

Bluffdale

15200 South Pony Express Road
Bluffdale, UT 84065
(801) 802-6890

St. George

3657 South River Road
St. George, UT 84790
(435) 673-7829

Las Vegas

2524 E. Gowan Road
North Las Vegas, NV 89030
(702) 644-8054

